

OFFICIAL GAZETTE

GOVERNMENT OF GOA, DAMAN AND DIU

GOVERNMENT OF GOA, DAMAN AND DIU

Special Department

Notification

OSD/RRVS/14/66

In exercise of the powers conferred by the proviso to article 309 of the Constitution, read with the Government of India, Ministry of External Affairs letter No. F.7(11)/62-Goa dated the 25th July, 1963, the Administrator of Goa, Daman and Diu is pleased to make the following rules relating to the recruitment to the Class III and Class IV posts in the Offset Press under the Government Printing Press, under the Government of Goa, Daman and Diu.

1. **Short title.** — These rules may be called Goa Government Offset Printing Press, Class III (Non-ministerial, non-gazetted) and Class IV posts Recruitment Rules 1973.

2. **Application.** — These rules shall apply to the posts specified in column 1 of the Schedule to these rules.

3. **Number, classification and scale of pay.** — The number of posts, classification of the said posts and the scales of pay attached thereto shall be as specified in columns 2 to 4 of the said Schedule.

4. **Method of recruitment, age limit and other qualifications.** — The method of recruitment of the said posts, age limit, qualifications and other matters

connected therewith shall be as specified in columns 5 to 13 of the aforesaid Schedule.

Provided that,

- (a) the maximum age limit specified in the Schedule in respect of direct recruitment may be relaxed in the case of candidates belonging to the Scheduled Castes and Scheduled Tribes and other special categories in accordance with the orders issued by the Government from time to time; and
- (b) no male candidate, who has more than one wife living and no female candidate, who has married a person having already a wife living, shall be eligible for appointment, unless the Government, after having been satisfied that there are special grounds for doing so, exempts any such candidate from the operation of this rule.

5. These rules will come into effect from the date of the Notification and will relate to appointments to the various posts made on or after this date. An appointment made prior to this date through a duly constituted Staff Selection Board/Departmental Promotion Committee will be deemed to be a regular appointment, notwithstanding any provisions contained in these rules, and the probation period in that case will extend to six months only from the date of this notification.

T. Kipgen
Chief Secretary

Panaji, 27th July, 1973.

SCHEDULE

178

Name of the post	No. of posts	Classification	Scale of Pay	Whether Selection Post or non-Selection Post	Age limit for direct recruits	Educational and other qualifications required for direct recruits	Whether age and educational qualifications prescribed for the direct recruits will apply in the case of promotees	Period of probation, if any	Method of recruitment whether by direct recruitment or by promotion or by deputation/transfer, and percentage of the vacancies to be filled by various methods	In case of recruitment, by promotion/deputation/transfer, grades from which promotion/deputation/transfer is to be made	If a DPC exists, what is its composition	Circumstances in which U. P. S. C. is to be consulted in making recruitment
1	2	3	4	5	6	7	8	9	10	11	12	13
Artist Retoucher	One	Class III (Non-Ministerial, Non-Gazetted)	Rs. 370-20-450-EB-25-475	Selection	35 years (Relaxable for Govt. servants)	<p><i>Essential:</i></p> <ol style="list-style-type: none"> 1. Diploma in fine Arts from any recognised school of Arts or equivalent. 2. 5 years practical experience as Artist retoucher Cum-Layout Artist in any Offset Plate Making concern of repute. <p><i>Desirable:</i></p> <p>Knowledge of Konkani/Marathi.</p>	N. A.	Two years	By promotion failing which by direct recruitment.	<p><i>Promotion:</i></p> <p>Half tone etcher in the Department with 7 years in the grade and having undergone training in this work.</p>	N.A.	As required under the rules.
Senior Machine Operator	One	— do —	Rs. 250-10-290-15-380	— do —	— do —	<p><i>Essential:</i></p> <ol style="list-style-type: none"> 1. Passed S. S. C. or its equivalent. 2. Diploma in Printing Technology. 3. At least 7 years experience in operating Offset Machines of different makes preferably SOLNA. <p><i>Desirable:</i></p> <p>Knowledge of Konkani/Marathi.</p>	N. A.	— do —	— do —	<p><i>Promotion:</i></p> <p>Junior Machine Operator of the Government Offset Press with at least 3 years standing in the grade.</p>	Class III D.P.C.	— do —
Junior Machine Operator	One	— do —	Rs. 168-8-256-EB-8-280-10-320	— do —	— do —	<p><i>Essential:</i></p> <ol style="list-style-type: none"> 1. Passed S. S. C. or its equivalent and Diploma in Printing technology, (relaxable in case of candidates possessing exceptionally good practical experience). 2. At least 5 years experience as Offset Machine operator. <p><i>Desirable:</i></p> <p>Knowledge of Konkani/Marathi.</p>	N. A.	— do —	— do —	<p><i>Promotion:</i></p> <p>Printers of Government Printing Press with at least 8 years' service in the grade and having a certificate of training in operating offset Printing Machine in any Press of repute.</p>	— do —	— do —

SERIES I No. 22

Helio Operator	One	Class III (Non-Ministerial, Non-Gazetted)	Rs. 150-5-175-6-205-EB-7-240-8-280.	Selection	35 years (Relaxable for Govt. servants)	<i>Essential:</i> S. S. C. or its equivalent relaxable in case of candidates possessing good practical experience of at least 5 years as plate maker in a firm of repute. Conversant with Albumen Gum and water Deep Etch processes for making line and screen colour plate.	N. A.	Two years	Promotion failing which by direct recruitment.	<i>Promotion:</i> Half tone etchar from the Govt. Printing Press with at least 2 years standing in the grade and production of a certificate of satisfactory training in an Offset plate making firm of repute.	Class III D.P.C.	As required under the rules.
Graining Machine Operator	— do —	— do —	Rs. 110-3-131-4-175-6-180.	— do —	25 years (Relaxable for Govt. servants)	<i>Essential:</i> Middle School or equivalent preferably in English. Experience as Graining Machine Operator in an Offset Press of standing or satisfactory training in a Govt. Press. <i>Desirable:</i> Experience in graining plates of different kinds for different nature of jobs. Knowledge of Konkani/Marathi.	Age: No Qls: Yes	— do —	— do —	<i>Promotion:</i> Attendants with at least 3 years of standing in the grade.	— do —	— do —
Attendants \	Five	— do —	Rs. 80 to 120.	Non-Selection	18 to 25 years	<i>Essential:</i> Middle School or equivalent preferably in English and two years experience in a printing press as Helper/assistant in composing, printing, binding sections. <i>Desirable:</i> Knowledge of Konkani/Marathi.	— do —	— do —	— do —	<i>Promotion:</i> Helpers with at least 2 years standing in the grade.	— do —	— do —
Helpers	Two	Class IV	Rs. 85-2-95-3-110.	Selection	— do —	<i>Essential:</i> Middle School or equivalent preferably in English. <i>Desirable:</i> Knowledge of Konkani/Marathi.	— do —	— do —	— do —	<i>Promotion:</i> Messenger with at least 3 years standing in the grade failing which Peons of Department with 7 years standing in the grade and labourers with the same number of years of service.	Class IV D.P.C.	— do —

1	2	3	4	5	6	7	8	9	10	11	12	13
Messenger	One	Class IV	Rs. 75-1-85-EB-2-95	Selection	18 to 25 years	Essential: Middle School or equivalent preferably in English. Desirable: Knowledge of Konkani/Marathi.	Age: No Qs: Yes	Two years	Promotion falling which by direct recruitment.	Promotion: Peons of the Department with at least 5 years of service and labourers with the same number in the grade.	Class IV under the D.P.C. rules.	As required

Law and Judicial Department

Notification

LD/3519/73

The following two notifications received from the Government of India, Ministry of Industrial Development, Science and Technology, Central Boilers Board, New Delhi, are hereby published for general information of the Public.

M. S. Borkar, Under Secretary (Law).
Panaji, 10th August, 1973.

GOVERNMENT OF INDIA
MINISTRY OF INDUSTRIAL DEVELOPMENT,
SCIENCE AND TECHNOLOGY

Central Boilers Board
Notification

New Delhi, the 11th June, 1973.

The following draft of certain regulations further to amend the Indian Boiler Regulations, 1950, which the Central Boilers Board proposes to make in exercise of the powers conferred by section 28 of the Indian Boilers Act, 1923 (5 of 1923), is published, as required by sub-section (1) of section 31 of the said Act, for the information of all persons likely to be affected thereby, and notice is hereby given that the said draft will be taken into consideration at the end of three months from the date of publication of this notification in the Official Gazette.

2. Any objections or suggestions which may be received from any person with respect to the said draft within the period so specified will be considered by the Central Boilers Board. Such objections or suggestions should be addressed to the Secretary, Central Boilers Board, Ministry of Industrial Development, Udyog Bhavan, New Delhi.

DRAFT REGULATIONS

1. These regulations may be called the Indian Boiler (Amendment) Regulations, 1973.

2. In regulation 290 of the Indian Boiler Regulations, 1950 for clauses (c) and (d), the following clauses shall be substituted, namely:—

“(c). The working pressure and the thickness of the Bronze and Cast Iron Valve chests shall be determined by the following formulae, subject to the minimum thickness as specified in regulation 283 (b).

$$WP = \frac{S \times (t-c)}{4.5 \times D} \dots\dots\dots \text{Eqn. (76)}$$

$$t = \frac{4.5 \times WP \times D}{S} + C \dots\dots\dots \text{Eqn. (77)}$$

Where S is the minimum tensile strength of the grade of the material,

D is the external diameter of the chest,

t is the minimum thickness of the chest, excluding tolerance and

C is the minimum positive tolerance as specified hereunder:—

For Bronze Chests $C = 1.5 \text{ mm}$

For Cast Iron Chest $C = 5 \text{ mm}$

(d) The Working Pressure and the tickness of the steel valve chest of circular cross section shall be determined by the following formulae, namely:—

$$\text{Working Pressure} = \frac{2f(T - C)}{(D - T + C)}$$

$$T = \frac{P \times D}{2f + P} + C$$

where,

f = allowable stress in kg/mm² for the material at the working metal temperature 't' to be determined on the basis given below:—

The allowable stress 'f' at or below 454°C is the lower of the following two values:

$$f = \frac{+ R a}{- 2.7} \quad f = \frac{E t}{1.6}$$

whichever is lower

For temperature above 454 °C, the lowest of the following four values:—

$$F = \frac{R a}{2.7} \quad f = \frac{E t}{1.6}$$

$$f = \frac{S R}{1.6} \quad f = \frac{S C}{1.0}$$

Where,

E t = minimum Value of yield point (0.2 per cent Proof stress) at temperature t.

R a = Minimum specified tensile strength specified for the grade of steel concerned at room temperature.

R S = The average stress for the grade of steel concerned to produce rupture in 100,000 hours.

If the width of the scatter band of results obtained when determining this value exceeds 20 per cent of the average value, then SR shall be taken as 1.25 times the minimum stress at temperature 't' to produce rupture in 100,000 hours.

S C = the average stress to produce an elongation (creep) for the grade of steel concerned of 1 per cent in 100,000 hours at temperature 't'. For metal temperature 't' below 250°C values of 'f' for 250°C shall be used.

Note:— The allowable stress for cast steel shall be 80 per cent of that determined on the above basis

'D' is the external diameter of the chest.

T is the minimum thickness of the chest excluding tolerance and C is the minimum positive tolerance as specified hereunder:—

For Cast steel chest $C = 5 \text{ mm}$.

For forged or stainless steel chest $C = 2.5 \text{ mm}$.

Note:— Over and above the calculated thickness, additional thickness needed for assembly stresses, Valve closing stresses, shapes other than circular

and stress concentrations shall be provided by the manufacturers to be satisfaction of the Inspecting Authority".

(F. No. BL-9(13)/69-BEI)

Sd/-

(S. C. DEY)

Secretary, Central Boilers Board.

New Delhi, the 7th July, 1973.

Notification

G. S. R. — The following draft of certain regulations further to amend the Indian Boiler Regulations, 1950, which the Central Boilers Board proposes to make in exercise of the powers conferred by Section 28 of the Indian Boilers Act, 1923 (5 of 1923), is published, as required by sub-Section (1) of Section 31 of the said Act, for the information of all persons likely to be affected thereby, and notice is hereby given that the said draft will be taken into consideration after three months from the date of publication of this notification in the Official Gazette.

Any objections or suggestions which may be received from the any person with respect to the said draft within the period so specified will be considered by the Central Boilers Board. Such objections or suggestions should be addressed to the Secretary, Central Boilers Board, Ministry of Industrial Development, Science and Technology, Udyog Bhavan, New Delhi.

DRAFT REGULATIONS

1. These Regulations may be called the Indian Boiler (Amendment) Regulations, 1973.

2. In the Indian Boiler Regulations, 1950, in the list of well-known steel-makers in Appendix G (a) for serial No. 16 and the entry relating thereto, the following shall be substituted, namely:—

"16. Messers. Mannesmannrohren-Werke AG 4000 Dusseldorf 1, Postfach 1104, West Germany.";

(b) for serial No. 27 and the entry relating thereto, the following shall be substituted, namely:—

"27. Messers. AUGUST THYSSEN-HUTTE, AG DUISBURG-HAMBORN, Post-fach 67, West Germany."

(File No. 8/273-Boiler)

Sd/-

(S. C. DEY)

Secretary, Central Boilers Board.

Food and Civil Supplies Department

ORDER

1-99/73/FCS-CS

In exercise of the powers conferred by section 3 of the Essential Commodities Act, 1955 (10 of 1955)

read with the notification of Government of India in the Ministry of Food and Agriculture (Department of Food) G. S. R. No. 316(E) dated 20th June 1972, the Administrator of Goa, Daman Diu hereby makes the following order, so as to further amend the Goa, Daman and Diu Controlled Commodities (Regulation of Distribution) Order, 1966 (hereinafter called «the Principal Order»), namely: —

In the principal order after the first proviso to sub-clause (1) of clause 7, the following shall be inserted, namely: —

«Provided further that if the Government or the specified authority or any other authority specified by Government has reason to believe that the person applying for issue of a ration card under this order is not a permanent resident of the locality where he is living at present, he may issue a temporary ration card which shall

be valid for a month, to such person on production of group photograph, in duplicate, of all the family members in respect of whom he has applied for a ration card and also passport size photograph, in duplicate, of the head of the family. One copy each of such photographs shall be affixed on the ration card and the other copy shall be retained by such authority,

Provided further that the authority referred to in the second proviso, may, if he is satisfied that it is necessary to do so, extend the period of validity of the ration card for such period or periods not exceeding one month at a time».

By order and in the name of the Administrator of Goa, Daman and Diu.

S. S. Suktankar, Under Secretary (Planning).

Panaji, 22nd August, 1973.